





Related Products

Product	Picture	Features																																																																								
Hollow Cone Spray Nozzle BAA+QB Series		<ul style="list-style-type: none">• Air washer nozzle made by combining an AA series hollow cone spray nozzle and QB series adaptor.• Includes a spring lock to firmly secure the nozzle in place.• No-whirler design with a large free passage diameter minimizes clogging. <p>[Note] The spray direction is NOT adjustable, the ball joint is fixed in place.</p>																																																																								
Ball Joint Adaptor QBP Series	 <p>Ball thread size</p> <p>(Photo below shows QBP adaptor with a spray nozzle)</p>  <p>Easy to attach a nozzle!</p>	<ul style="list-style-type: none">• IKEUCHI's spray nozzles with R1/4, R3/8, or R1/2 thread are attachable.• The ball joint makes the spray direction adjustable within 50 degrees as needed.• Easy installation onto a pipe with a spring clip fastener.• Main material: FRPP <table><tr><th colspan="4">Pipe Size</th><th>Ball Thread Size</th></tr><tr><td rowspan="4">QBP for metal pipes (inch)</td><td>1</td><td rowspan="4">QBP for PVC pipes (ND)^{*1}</td><td>25A</td><td rowspan="4">Rc1/4, Rc3/8, or Rc1/2</td></tr><tr><td>1 1/4</td><td>30A</td></tr><tr><td>1 1/2</td><td>40A</td></tr><tr><td>2</td><td>50A</td></tr></table> <p>^{*1} 40A, 50A adaptors for PVC pipes are the same as 1 1/2", 2" adaptors for metal pipes.</p> <div><div>HOW TO ORDER QBP ADAPTOR</div><p>Example: 1 x 1/4F QBP FRPP + L</p><table><tr><td>1</td><td>×</td><td>1/4F</td><td>QBP</td><td>FRPP</td><td>+</td><td>L</td></tr><tr><td>Pipe size</td><td></td><td>Ball thread size^{*2}</td><td></td><td>Material</td><td></td><td>Optional spring lock</td></tr><tr><td>1</td><td></td><td>1/4F</td><td></td><td></td><td></td><td></td></tr><tr><td>1*1/4</td><td></td><td>25A</td><td></td><td></td><td></td><td></td></tr><tr><td>1*1/2 (40A)</td><td></td><td>30A</td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td>1/4F</td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td>3/8F</td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td>1/2F</td><td></td><td></td><td></td><td></td></tr></table><p>^{*2} "F" indicates female thread ("Rc" of the ISO standard), e.g. 1/4F = Rc1/4.</p></div>	Pipe Size				Ball Thread Size	QBP for metal pipes (inch)	1	QBP for PVC pipes (ND) ^{*1}	25A	Rc1/4, Rc3/8, or Rc1/2	1 1/4	30A	1 1/2	40A	2	50A	1	×	1/4F	QBP	FRPP	+	L	Pipe size		Ball thread size ^{*2}		Material		Optional spring lock	1		1/4F					1*1/4		25A					1*1/2 (40A)		30A							1/4F							3/8F							1/2F				
Pipe Size				Ball Thread Size																																																																						
QBP for metal pipes (inch)	1	QBP for PVC pipes (ND) ^{*1}	25A	Rc1/4, Rc3/8, or Rc1/2																																																																						
	1 1/4		30A																																																																							
	1 1/2		40A																																																																							
	2		50A																																																																							
1	×	1/4F	QBP	FRPP	+	L																																																																				
Pipe size		Ball thread size ^{*2}		Material		Optional spring lock																																																																				
1		1/4F																																																																								
1*1/4		25A																																																																								
1*1/2 (40A)		30A																																																																								
		1/4F																																																																								
		3/8F																																																																								
		1/2F																																																																								

Quick-Detachable IN PLUG SERIES

Picture	Features																					
 <p>IN Plug tip</p>	<ul style="list-style-type: none">• Two-piece structure includes a plug tip with packing and an adaptor.• You can change an IN-series nozzle tip to this plug tip, or replace a complete IN nozzle assembly with an IN plug assembly. <p>IN plug tips are compatible with INVV, INOVVE, INQB, INJJX, and INJJX-Y series adaptors. When ordering use the item names shown in the table below.</p> <table><tr><th>Pipe conn. size</th><th>Adaptor material</th><th>Order item name</th></tr><tr><td rowspan="2">R1/8</td><td>PPS</td><td>1/8M INPLUG PP(FEPM)+PPS</td></tr><tr><td>PP</td><td>1/8M INPLUG PP(FEPM)+PP</td></tr><tr><td rowspan="2">R1/4</td><td>PPS</td><td>1/4M INPLUG PP(FEPM)+PPS</td></tr><tr><td>PP</td><td>1/4M INPLUG PP(FEPM)+PP</td></tr><tr><td rowspan="2">R3/8</td><td>PPS</td><td>3/8M INPLUG PP(FEPM)+PPS</td></tr><tr><td>PP</td><td>3/8M INPLUG PP(FEPM)+PP</td></tr><tr><td colspan="2">Plug tip only, without adaptor</td><td>INPLUG PP(FEPM)</td></tr></table>	Pipe conn. size	Adaptor material	Order item name	R1/8	PPS	1/8M INPLUG PP(FEPM)+PPS	PP	1/8M INPLUG PP(FEPM)+PP	R1/4	PPS	1/4M INPLUG PP(FEPM)+PPS	PP	1/4M INPLUG PP(FEPM)+PP	R3/8	PPS	3/8M INPLUG PP(FEPM)+PPS	PP	3/8M INPLUG PP(FEPM)+PP	Plug tip only, without adaptor		INPLUG PP(FEPM)
Pipe conn. size	Adaptor material	Order item name																				
R1/8	PPS	1/8M INPLUG PP(FEPM)+PPS																				
	PP	1/8M INPLUG PP(FEPM)+PP																				
R1/4	PPS	1/4M INPLUG PP(FEPM)+PPS																				
	PP	1/4M INPLUG PP(FEPM)+PP																				
R3/8	PPS	3/8M INPLUG PP(FEPM)+PPS																				
	PP	3/8M INPLUG PP(FEPM)+PP																				
Plug tip only, without adaptor		INPLUG PP(FEPM)																				